

ON THE PAPER " THE LEPICOPTERA NAMES OF CENIS & SCHIFFERMÜLLER- A CASE FOR STABILITY" BY K.SATTLER AND W.G.TREMEWAN IN 1984

In the recent issue of Nota lepidopterologica (vo..7(3): 282~285,30.ix.1984),a paper written by SATTLER and TREMEWAN entitled \ "The Lepidoptera names of DENIS & SCHIFFERMÜLLER-2 case for stability" was published.

Although I feel confident that it would not stimulate the common sense of the persons, who support the article by SATTLER and TREMEWAN in question, I take up my pen to write this note, as I would like to mention my opinions on various points regarding this article, which bear the suggestion of an undervaluing of my work, and also, to make known the real reason for some baseless, unfair attitude and accusation against me.

Today,taxonomical status of a great number of species and genera described in the order <u>lepidoptera</u> are still uncertain. This case is also valid for many specific and generic names used. Among the recent publications on <u>lepidoptera</u>, it is not difficult to find very many names proposed as synonyms, homonyms, or in other new combinations, because of their incorrect taxonomic position or nomenclatural usage. Such process in the taxonomic researches of alpha-level is quiet natural. SATTLER, TREMEWAN, and their friends, and also many other lepidopterists in the world, study on various subjects of alpha-taxonomy, using the same methods, following the same International Code on Zoological Nomenclature. I have also been studying on alpha-taxonomy.

A taxonomist should study not only on the classification, but also, if present, on the nomenclatural problems of animal groups. And he, by doing this, has an obligation to explain his opinions and investigations based on scientific methods.

As to my research program, like many other taxonomists, I have been studying on the taxonomy and nomenclature of various groups. I hope, or so far as I know, whoever wishes to study in this branch of science does not need to have a permission. Any subject in taxonomy or nomenclature is restricted to the favour few.

Priamus 4(1/2).3-12.

Every scientist should respect opinions of each other.

The lesson to be drawn from history is that "science as a structure grows by a struggle for survival among ideas". There are astonishing processes at work which in time make pure the meanings even of at the beginning confused concepts.

Within the frame of my research program, two years ago, 1 have began to study on the validity of the specific names proposed by DENIS & SCHIFFERMÜLLER in 1775. Because some of the names appeared in this work have been treated by verious authors in the past as unavailable under the <u>Code</u>. This interpretation has been used by the following authors in their publications:

STAUDINGER & REBEL(1901), T.B.FLETCHER(1939, 1954), 8ERNARDI (1949 et seq.), LEMPKE(1953, etc.), PACLT(1953), OBRAZTSOV (1958, et seq.), VIIDALEPP(1976, et seq.), FERGUSON(1978), TREMEWAN(corresp., 1979)

This meent that DENIS & SCHIFFERMÜLLER's names were not stabile, as their validity were in suspense.

By considering this situation,1 found that DENIS & SCHIFFERMÜLLER's names need a revisional study from nomenclatural standpoint.

In my work 1 (three perts hitherto published) I ascertained the correct status of totally 6DD DENIS & SCHIFFERMÜLLER's names. The results may be summarized as follows:

In the first part, 17? names are exemined. Among them, 8S names are found to be available, and 86 names are unavailable under the Code. 52 names among unavailable ones are repleced by the next available synonyms in each taxa related. According to this, the valid names of 35 species remain as of old, only their authorships and dates are changed. 17 specific names are replaced by junior evailable synonyms.

Kocak, A.D., 1982-1984, On the validity of the species group names proposed by DENIS & SCHIFFERMÜLLER, 1775 in ArkEndung (sic!)eines systematischen Werkes von can Schmetterlingen der Wiener Gegend.—Priamus 2:5-42(1982);3:58-135,133-154(1984).

In the second part,245 names are examined. Among them 77 names are found to be unavailable,168 are available under the Code. Among unavailable ones, 54 names are invalidated. As a result of this, the names of 33 species remain as of old,only their authorships and dates are changed. Among 21 species,3 names are replaced by their senior synonyms. These are: Ectropis similaria HUFNAGEL, 1767, Epione vespertaria LINNAEUS, 1767, and Eupithecia signata SCOPOLI, 1763. The remains, 18 names, are replaced by junior available synonyms.

In the third part, 184 names are examined. Among them 18 names are found to be unavailable, 166 names are available under the <u>Code</u>. Among unavailable ones, the names of S species remain as of old, only their authorships and dates are changed. S specific names ere replaced by junior available synonyms.

As a result of this survey, totally 600 names are studied.
419 names are recorded as available and 181 names as unavailable
under the <u>Code</u>. Today, a great number of DENIS & SCHIFFERMÜLLER's
names are currently used as invalid. In this work only 116 names
are invalidated, as they are unavailable. As a result of this, the
names of 73 species remain as of old, only their authorships and
dates are changed. On the other hand, 43 specific names are replaced
by other junior available synonyms. Apart from this, 11 names proposed
by DENIS & SCHIFFERMÜLLER are first established as valid.

This work is the only comprehensive study, ascertaining the status of the species group names proposed by OENIS & SCHIFFER-MÜLLER. It has been done according to the rules of nomenclature. Its conclusions is therefore testable. Looking into roughly, it might be thought as simple job, but in fact a great effort is hidden behind it. Perhaps it needs some minor corrections, but there is no denying that it, even today, contributes an improvement of lepidopterology.

In their paper, SATTLER and TREMEWAN wrote that the names published by DENIS & SCHIFFERMÜLLER have been argued by some researchers as <u>nomina nuda</u> under the Code, but most of them have always been treated available. They also added:

" efter 200 years of uninterrupted use it is clearly interest of stability to continue this practice. In two recent publications KCCAK(1982-1984) and von MENTZER(1984) puery, from different aspects, the status of certain DENIS & SCHIFFER-MÜLLER names. If their views are accepted, a large number of established names or at least their authorships would have to be changed, thus affecting some of the commonest and best known European months"

In the recent decades, many authors cited above felt doubt about the validity of the names given by DENIS & SCHIFFERMÜLLER; therefore it cannot be considered that these names are used for 200 years uninterruptedly. To define them as "established" is simply an exaggerated statement. Furthermore, their claims are far from to be scientific, which only cause a factitious enthusiasm.

"The object of the <u>Code</u>, according to its Preamble, is to promote stability and universality of scientific names of animals. It follows from this that the provisions of the Code should be interpreted in favour of stability. We consider KOCAK's interpretation of Article 12 and 16 to be unnecessarily restrictive and his conclusions to conflict with the interest of stability "

My conclusions are wholly based upon the Rules of Nomenclature. from the foregoing paragraphs it is seen that they are too correct; therefore, a discrepancy between my conclusions and modified data used currently is quiet natural.

> "...It follows from this that the provisions of the Code should be interpreted in favour of stability..."

Whoever reads the lines above, comes easily to conclusion that SATTLER, TREMEWAN and their friends are "guardian angels", securing the stability and the universality of all names in Lapidoptera.

How secure these gentlemen the stability in nomenclature,

let us see in the following paragraphs:

TREMEWAN, for my part, wisely prefer to ignore the correct status of infrasubspecific names in his papers. These modified data presented by TREMEWAN² may produce some misconception; among the younger genuine taxonomists. TREMEWAN must conform to the rules of zoological nomenclature. The contrast view would lead us into a state of confusion.

SATTLER³ resurrected 81LL8ERG's name, <u>Athrips</u>, after 158 years, by causing 11 new synonyms and 49 new combinations. He elso stated:

"...its replacement by Athrips does not cause any nomenclatural instability".

As a matter of fact, I support such treatment, but I am under the impression that, if I myself made so many changes in the nomenclature after 198 years, I might be lost in the confusion.

Athrips should be treated as nomen oblitum under the Code.

SATTLER 4,5 must also conform to the rules of zoological nomenclature, when he attempts to study on the type-designations of the genus names. Some of his designations does not furtil the provisions of Article 68(a)(i),etc. of the Code.

NYE and his friends,in their recent publications on the genera of Lapidoptera of the world,proposed more than 100 new replacement names instead of many old,well-known and established names. They used generally odd replacement names, which contribute nothing to the advancement of science. The following anagrams are the examples to this:

This case was partly introduced by KOCAK(1984, Priamus 3(4): 156(note).

³⁾ SATTLER, 1978, Dt.ent.Z., n.f. 25:57-61.

^{4) &}quot;In the second volume of Microlepidoptera Palaearctica", which is considered by some authors as "Bible of Microlepidopterology", Dr. SATTLER(1967:37) regarded STEPHENS's (1834:241) restriction of the species Erminea dodocea HAWORTH in the genus Psecadia HÜBNER, 1825 as valid type-designation, though there was no designation at this reference"(KBCAK, 1982, Communs Fac. Sci. Univ. Ankara 25(C3):21).

old nemes

Jorgensenia SCHAUSS, 1924 Mardara WALKER, 1865 Phara WALKER, 1854 Sarapus WALKER, 1855 Tricholegis HAMPSON, 1891 Celoeoma GEYER. 1832 Acutia KAYE, 1919 Aloge WALKER, 1855 Cymella FELDER, 1874 Pachylepie FELOER, 1874 Pagetia PROUT, 1922 Pangraptice HAMPSON, 1910 Paromia SCHAUSS, 1913 Phasis WALKER, 1854 Platydia GUENEE.1854 Pesudosmia KÖHLER. 1952 Rhynchodes GUENEE, 1852 Harmetelia MOORE.1882 Micropia HAMPSON.1908

replacement names

Geriojennsa WATSON Ramedra NYE Anhra WATSON Asparus WATSON Chiretolois WATSON Osmacola WATSON Atucia WATSON Olega WATSON Myclela WATSON Yepcelphia NYE Teciaca NYE Craptionepa NYE Ramopia NYE Shapis NYE Yidalota NYE Desnumosia NYE Hondryches NYE Itmaharela NYE Pricomia NYE , and so on.

Take them,use them and don't ask any question about them !

Let us read again the following lines by SATTLER and

TREMEWAN:

It may be easily seen from the foregoing examples that there is a considerable discrepancy between their deeds and statements regarding to the universality and the stability of the names. In fact, for securing the foregoing names in their original forms, euthoraships and dates, proposals to the Commission should had been submitted by these esteemed scientists instead of playing with the names.

I scare that the problem between these gentlemen and me is more personal than a scientific one. Some serious errors appeared in the work "The Generic Names of Motha of the World" edited by NYE

S) FLETCHER, corresp.in 1983.

and my love of Law and order impelled me to ascertain all the names published in this work from nomenclatural point of view. Such monumental works, when published, must be entirely correct, so that the researchers may use them in the references without fear, or else, it will be farewell to all correctness and stability in nomenclature!

I have said above the accusatione are more personal.

This may be easily perceptable among the lines written by ROGINSON. 7

It runs:

"The synonymy introduced above for tunusensis underlines the inadvisability of introducing replacement names without undertaking taxonomic research:publications, such as those of KOCAK, which are based solely on examination of limited literature serve only to confuse and obscure".

My paper was intended to be nomenclatural rather than taxonomical. It has also been prepared according to the rules of zoological nomenclature and based on sufficient literature. I was unfortunately ignorant of ZAGULYAEV's publication on the same group, but I find this situation not so terrible. Such a critic against a simple synonym and its edition is nothing but rancour.

An other example to this is represented by TREMEWAN and NAUMANN. This time they submit a proposal to the Commission for suppressing the specific name anthyllidis HÜ8NER, 1819, which I found it as an available name in the family Zygaenidae.com, and used archive.com MEIGEN, 1829 for a species, which is called as anthyllidis

⁶⁾ KOÇAK,A.Ö.,On the Nomenclature of Some Genera of Lapidoptera.Priamus 1(3):98-109(1981),et seq.

Entomologist's Gaz.33:175-180,1982.

⁸⁾ ZAGULYAEV, A.K., 1971, Ent. Obozr. 50:416-426 (in russ.).

⁹⁾ TREMEWAN & NAUMANN, 1984, 8ull.zool. Nom. 41(2):73-76.

BOISOUVAL, 1829 wrongly(homonym of anthyllidis HÜBNER, 1819). 10

Against to a simple synonym such an action is very expressive. On the other hand, it may also be regarded quiet natural, if this synonym is established by KOCAK! That's enough!

It is obvious that in the Continent the man who thinks differently, is more often despised than admired. Therefore, the most researchers ¹¹ prefer to suallow the whole subjects. This may regarded as an inoffensive wey, and to live in the shadowe of ignorance, far from any danger, is perhaps the best way for surviving in this branch of science.

Finally,I would like to write my opinion on the proposal offered by SATTLER and TREMEWAN,regarding to the availability of the names proposed by DENIS & SCHIFFERMÜLLER. They stated:

"OENIS & SCHIFFERMÜLLER erranged the species in the form of a key and for botrana as a member of the Abtheilung Tortrices the following (translated) description applies:... To this must be added the description of group E 'grey tortricid moth' and finally the hostplant of the larve 'grapes'. We believe that such a combined description fulfils the requirements of the Code and thus makes the name Tortrix botrana and all other similarly proposed OENIS & SCHIFFERMÜLLER names nomenclaturally available".

Under this case, a special Article must be created and added to the present Code, in order to make this remarkable proposal evailable. If this was so, why did not NYE treat some HÜBNER's specific names to be evailable, published in <u>Verz.bekannt</u>. Schmett. similarly ? For example, two species exacts and erose HBN. in the genus Anomia HBN.; two species ganglio and interpuncts HBN. in the genus Athyrme HBN, etc. This case was also discussed by Lempke (1953:94).

¹⁰⁾ KDÇAK, 1982, Priemus 2(3):99.

¹¹⁾ They may be classified as "independent specialists" sensu NYE !

He stated: "...WARREN in his famoue Monograph of the genus Erebia (1936,p.183) treate Papilio medusa Schiff., as a valid name. He forgets however, that the definition of the group is not part of the description of one species, but of a w h ole eries of them. Every time the same definition has to serve as part of the description of another species. If we accept this as validating the name, then the consequence would be that, if an author fully defines a genus, and then gives a list of the new species belonging to it, only mentioning their name, these names would be valid. That is of course not the case, and for the same reason we must consider all names of group fras nomina nuda.

It will be clear that only a strict application of art.25 can make an end to the instability in our Lepidopters nomenclature as far es the SCHIFFER—

MULLER names are concerned..."

The growth of scientific knowledge depends strictly upon the free opinions and investigations. It should not to be desired to strike fear in the heart of man and left him with a sense of helplessness.

Under all circumstances,I continue to struggle and to learn more about the mysteries in the lepidopterology.

Literature:

Bernardi, G. et al., 1949 & seq., Liste de Grypocères et Rhopeloceres de la feune Francaise conforme aux Règles Internationales de la Nomenclature. - Revue fr. lépidopt. 11 & seq.

Oenis, J.N.C.M.& Schiffermüller, I., 1775, Ankündung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend., Wien.

Ferguson, O.C., 1978, Noctuoidea, Lymantriidee, in Dominick, R.8., et al., The Moths of America North of Mexico, fasc. 22(2):i-ix, 1-110 pp. pls. Fletcher, T.8., 1939, Names of Microlepidoptera (continued).-Entomologist's Rec. J. Ver. 51:156-160.

Fletcher, O.S., 1954, On the Validity of the name Lobesia (Polychrosia)botrana(Schiffermüller).-Ent. Ber. 15:170-171.

Koçak,A.Ö.,1981-1983,On the nomenclature of some geners of Lepidoptera(continued).-Priamus 1(1):18-23,1(3):97-109,112-122; 2(4):187-164:3(1):7-10.

Koçak, A.Ö., 1982, On the Criticisms made by Dr.I.W.B. Nye regarding my two recent papers published in this journal in 1980.-Communa Fac.Sci.Univ.Ankara 25:11-23.

Koçak,A.Ö.,1982-1984,On the validity of the species group names proposed by Denis & Schiffermüller,1775 in Ankündung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend (continued).-Priemus 2(1):4-42;3(3):98-130,3(4):133-154.

Koçak, A.Ö., 1982-1983, Additions and Corrections to the Names Published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut, 1980. - Priamus 2(3):97-133, 2(4):137-157.

Koçak, A.Ö., 1984, More Additions and Corrections to the Names Published in "Systematic and Synonymic List of the Lepidoptera of France, Selgium and Corsica" by Leraut, 1980.—Priamus 3(4):155-168.

Lempke, J., 1953, The Schiffermüller Names. - Ent. Ber. 14:92-94.

Naumann, C.M.&Tremewan, W.G., 1984, Zygaena anthyllidis Boisduval 1828(Insecta, Lepidoptera): proposed conservation, 2.N.(5)2442.-8ull.zool.Nom.41(2):73-76.

Nye, I.W.8., 1975, The Generic Names of Moths of the World, I. London.

Obraztsov, N.5., 1955, Oie Gattungen der palæearctischen Tortricidae (Fortsetzung). - <u>Tijdschr.Ent</u>. 98:147-228.

Pacit, J., 1953, Proposed suspension of the Regles for two nomina nude of Denis & Schiffermüller(Lep., Setyrides). - Ent. Ber. 14: 91-92.

Peclt, J., 1953, Polychrosis vitisene(Jacq., 1786) comb.n. or new synonymy in an important pest of the grape-vine(Lepidoptera, Tortricidae).-Ent.8er. 14:379.

Robinson, G.S., 1982, The Palaearctic Tineidae (Lepidoptera) described by Oaniel Lucas. - Entomologist's Gaz. 33:175-180.

Sattler,K.,1967,Ethmiidae. in Amsel,H.G.,et al.,Microlepidoptera Palaearctica vol.2,Wien.

Sattler,K.,1978,The Identity of the genus Athrips 0illberg, 1820(Lep.,Gelechiidee).-Ot.ent.Z.(N.F.) 25:S7-61.

Settler, K.&Tremewan, W.G., 1984, The Lepidoptera names of Oenis & Schiffermüller- a case for stability.-Nota lepid.7:282-285.

Staudinger, O.& Rebel, H., 1901, <u>Catalog der Lepidopteren des</u> paleearctischer faumenoebietes.Berlin.

Viidalepp, J., 1976-1977, A List of Geometridae (Lepidoptera) of the USSR(continued), -Ent. Obozr. S4:842-852:56:564-576.

Watson, A., Fletcher, O.S., Nye, I.W.8., 1980, The Generic Names of Moths of the World, 2. London.

2agulyaev,A.K., 1971,Biological characteristic of moths of the subfamily Myrmecozelinae(Lepidoptera,Tineidae) and the description of new species(in russ.).-<u>Ent.Obozr</u>.50:416-426,figs.